

BẢNG GIÁ CÁP TRUNG THỂ BÁN PHẦN - TỔNG HỢP

TT	Mã sản phẩm	Tên sản phẩm	Kết cấu ruột dẫn				Đơn giá (Chưa bao gồm VAT)	Đơn giá (Đã bao gồm VAT)	Chiều dài đóng gói
			Phần thép		Phần nhôm				
			Số sợi No.	ĐK sợi mm	Số sợi No.	ĐK... mm			
Cáp AX dùng cho điện áp đến 24kV									
		Cách điện XLPE dày 2.5mm							
1	30453011051	AX 1x35-2.5			7	7.10	15,395	16,935	4,000
2	30453011052	AX 1x50-2.5			7	8.30	19,700	21,670	3,000
3	30453011053	AX 1x70-2.5			19	10.00	27,285	30,013	2,000
4	30453011054	AX 1x95-2.5			19	11.70	35,075	38,582	2,000
5	30453011055	AX 1x120-2.5			19	13.00	42,680	46,948	1,000
6	30453011056	AX 1x150-2.5			19	14.60	51,440	56,584	1,000
7	30453011057	AX 1x185-2.5			37	16.50	62,748	69,022	1,000
8	30453011058	AX 1x240-2.5			37	18.50	78,543	86,397	1,000
9	30453011059	AX 1x300-2.5			37	20.50	95,063	104,570	1,000
10	30453011060	AX 1x400-2.5			61	23.80	124,940	137,434	500
		Cách điện XLPE dày 3.5mm						0	
1	30453011061	AX 1x35-3.5			7	7.10	18,344	20,178	4,000
2	30453011062	AX 1x50-3.5			7	8.30	22,626	24,888	3,000
3	30453011063	AX 1x70-3.5			19	10.00	30,268	33,295	2,000
4	30453011064	AX 1x95-3.5			19	11.70	38,293	42,122	2,000
5	30453011065	AX 1x120-3.5			19	13.00	46,262	50,888	1,000
6	30453011066	AX 1x150-3.5			19	14.60	55,627	61,189	1,000
7	30453011067	AX 1x185-3.5			37	16.50	65,931	72,524	1,000
8	30453011068	AX 1x240-3.5			37	18.50	83,251	91,576	1,000
9	30453011069	AX 1x300-3.5			37	20.50	101,106	111,217	1,000
10	30453011070	AX 1x400-3.5			61	23.80	130,103	143,113	500
Cáp AX dùng cho điện áp đến 35kV									
		Cách điện XLPE dày 4.3mm							
1	30453011071	AX 1x35-4.3			7	7.10	21,199	23,319	4,000
2	30453011072	AX 1x50-4.3			7	8.30	26,010	28,611	3,000
3	30453011073	AX 1x70-4.3			19	10.00	34,107	37,518	2,000
4	30453011074	AX 1x95-4.3			19	11.70	42,839	47,123	2,000
5	30453011075	AX 1x120-4.3			19	13.00	51,072	56,179	1,000
6	30453011076	AX 1x150-4.3			19	14.60	60,458	66,504	1,000
7	30453011077	AX 1x185-4.3			37	16.50	72,214	79,435	1,000
8	30453011078	AX 1x240-4.3			37	18.50	89,361	98,297	1,000
9	30453011079	AX 1x300-4.3			37	20.50	106,686	117,355	1,000
10	30453011080	AX 1x400-4.3			61	23.80	137,811	151,592	500
		Cách điện XLPE dày 5.5mm						0	
1	30453011081	AX 1x35-5.5			7	7.10	26,053	28,659	4,000
2	30453011082	AX 1x50-5.5			7	8.30	30,919	34,011	3,000
3	30453011083	AX 1x70-5.5			19	10.00	39,743	43,717	2,000
4	30453011084	AX 1x95-5.5			19	11.70	48,721	53,593	2,000
5	30453011085	AX 1x120-5.5			19	13.00	57,312	63,043	1,000
6	30453011086	AX 1x150-5.5			19	14.60	67,119	73,831	1,000
7	30453011087	AX 1x185-5.5			37	16.50	79,224	87,147	1,000
8	30453011088	AX 1x240-5.5			37	18.50	96,918	106,610	1,000
9	30453011089	AX 1x300-5.5			37	20.50	115,044	126,549	1,000
10	30453011090	AX 1x400-5.5			61	23.80	147,054	161,760	500
Cáp AXV dùng cho điện áp đến 24kV									
		Cách điện XLPE dày 2.5mm							
1	30453011151	AXV 1x35-2.5			7	7.10	16,428	18,070	4,000
2	30453011152	AXV 1x50-2.5			7	8.30	20,838	22,921	3,000
3	30453011153	AXV 1x70-2.5			19	10.00	28,220	31,042	2,000
4	30453011154	AXV 1x95-2.5			19	11.70	36,315	39,947	2,000
5	30453011155	AXV 1x120-2.5			19	13.00	44,063	48,469	1,000
6	30453011156	AXV 1x150-2.5			19	14.60	52,899	58,189	1,000
7	30453011157	AXV 1x185-2.5			37	16.50	63,959	70,355	1,000
8	30453011158	AXV 1x240-2.5			37	18.50	80,407	88,447	1,000
9	30453011159	AXV 1x300-2.5			37	20.50	97,042	106,747	1,000
10	30453011160	AXV 1x400-2.5			61	23.80	127,024	139,726	500

BẢNG GIÁ CÁP TRUNG THỂ BÁN PHẦN - TỔNG HỢP

TT	Mã sản phẩm	Tên sản phẩm	Kết cấu ruột dẫn				Đơn giá (Chưa bao gồm VAT)	Đơn giá (Đã bao gồm VAT)	Chiều dài đóng gói
			Phần thép		Phần nhôm				
			Số sợi	ĐK sợi	Số sợi	ĐK...			
			No.	mm	No.	mm			
		Cách điện XLPE dày 3.5mm					0		
1	30453011161	AXV 1x35-3.5			7	7.10	19,678	21,645	4,000
2	30453011162	AXV 1x50-3.5			7	8.30	24,102	26,512	3,000
3	30453011163	AXV 1x70-3.5			19	10.00	32,180	35,398	2,000
4	30453011164	AXV 1x95-3.5			19	11.70	40,453	44,498	2,000
5	30453011165	AXV 1x120-3.5			19	13.00	48,542	53,397	1,000
6	30453011166	AXV 1x150-3.5			19	14.60	57,692	63,461	1,000
7	30453011167	AXV 1x185-3.5			37	16.50	69,064	75,970	1,000
8	30453011168	AXV 1x240-3.5			37	18.50	85,975	94,572	1,000
9	30453011169	AXV 1x300-3.5			37	20.50	103,331	113,664	1,000
10	30453011170	AXV 1x400-3.5			61	23.80	134,060	147,466	500
Cáp AXV dùng cho điện áp đến 35kV									
		Cách điện XLPE dày 4.3mm							
1	30453011171	AXV 1x35-4.3			7	7.10	22,407	24,648	4,000
2	30453011172	AXV 1x50-4.3			7	8.30	27,362	30,098	3,000
3	30453011173	AXV 1x70-4.3			19	10.00	35,535	39,088	2,000
4	30453011174	AXV 1x95-4.3			19	11.70	44,014	48,415	2,000
5	30453011175	AXV 1x120-4.3			19	13.00	52,341	57,576	1,000
6	30453011176	AXV 1x150-4.3			19	14.60	61,773	67,950	1,000
7	30453011177	AXV 1x185-4.3			37	16.50	74,159	81,575	1,000
8	30453011178	AXV 1x240-4.3			37	18.50	90,977	100,074	1,000
9	30453011179	AXV 1x300-4.3			37	20.50	108,426	119,269	1,000
10	30453011180	AXV 1x400-4.3			61	23.80	139,733	153,707	500
		Cách điện XLPE dày 5.5mm						0	
1	30453011181	AXV 1x35-5.5			7	7.10	27,345	30,079	4,000
2	30453011182	AXV 1x50-5.5			7	8.30	32,393	35,632	3,000
3	30453011183	AXV 1x70-5.5			19	10.00	41,472	45,619	2,000
4	30453011184	AXV 1x95-5.5			19	11.70	50,568	55,625	2,000
5	30453011185	AXV 1x120-5.5			19	13.00	59,192	65,111	1,000
6	30453011186	AXV 1x150-5.5			19	14.60	69,091	76,000	1,000
7	30453011187	AXV 1x185-5.5			37	16.50	81,515	89,666	1,000
8	30453011188	AXV 1x240-5.5			37	18.50	98,669	108,536	1,000
9	30453011189	AXV 1x300-5.5			37	20.50	118,043	129,847	1,000
10	30453011190	AXV 1x400-5.5			61	23.80	150,194	165,214	500
Cáp AsX dùng cho điện áp đến 24kV									
		Cách điện XLPE dày 2.5mm							
1	30453001001	AsX 35/6.2-2.5	1	2.80	6	2.80	20,714	22,785	2,000
2	30453001002	AsX 50/8.0-2.5	1	3.20	6	3.20	25,672	28,239	2,000
3	30453001003	AsX 70/11-2.5	1	3.80	6	3.80	33,887	37,276	2,000
4	30453001004	AsX 95/16-2.5	1	4.50	6	4.50	45,152	49,667	2,000
5	30453001005	AsX 120/19-2.5	7	1.85	26	2.40	53,390	58,729	2,000
6	30453001006	AsX 120/27-2.5	7	2.20	30	2.20	55,825	61,408	1,000
7	30453001007	AsX 150/19-2.5	7	1.85	24	2.80	63,407	69,748	1,000
8	30453001008	AsX 150/24-2.5	7	2.10	26	2.70	65,992	72,591	1,000
9	30453001009	AsX 150/34-2.5	7	2.50	30	2.50	69,818	76,800	1,000
10	30453001010	AsX 185/24-2.5	7	2.10	24	3.15	78,236	86,060	1,000
11	30453001011	AsX 185/29-2.5	7	2.30	26	2.98	78,146	85,961	1,000
12	30453001012	AsX 185/43-2.5	7	2.80	30	2.80	85,415	93,956	500
13	30453001013	AsX 240/32-2.5	7	2.40	24	3.60	99,393	109,333	500
14	30453001014	AsX 240/39-2.5	7	2.65	26	3.40	99,449	109,394	500
15	30453001015	AsX 240/56-2.5	7	3.20	30	3.20	108,560	119,416	500
16	30453001016	AsX 300/39-2.5	7	2.65	24	4.00	120,269	132,296	500
17	30453001017	AsX 300/48-2.5	7	2.95	26	3.80	122,189	134,408	500
		Cách điện XLPE dày 3.5mm						0	
1	30453001018	AsX 35/6.2-3.5	1	2.80	6	2.80	24,194	26,614	2,000
2	30453001019	AsX 50/8.0-3.5	1	3.20	6	3.20	29,269	32,195	2,000
3	30453001020	AsX 70/11-3.5	1	3.80	6	3.80	37,815	41,596	2,000
4	30453001021	AsX 95/16-3.5	1	4.50	6	4.50	49,892	54,882	2,000

BẢNG GIÁ CẤP TRUNG THẾ BÁN PHẦN - TỔNG HỢP

TT	Mã sản phẩm	Tên sản phẩm	Kết cấu ruột dẫn				Đơn giá (Chưa bao gồm VAT)	Đơn giá (Đã bao gồm VAT)	Chiều dài đóng gói
			Phần thép		Phần nhôm				
			Số sợi	ĐK sợi	Số sợi	ĐK...			
			No.	mm	No.	mm			
5	30453001022	AsX 120/19-3.5	7	1.85	26	2.40	58,278	64,106	2,000
6	30453001023	AsX 120/27-3.5	7	2.20	30	2.20	60,969	67,066	1,000
7	30453001024	AsX 150/19-3.5	7	1.85	24	2.80	68,666	75,532	1,000
8	30453001025	AsX 150/24-3.5	7	2.10	26	2.70	71,340	78,474	1,000
9	30453001026	AsX 150/34-3.5	7	2.50	30	2.50	75,255	82,781	1,000
10	30453001027	AsX 185/24-3.5	7	2.10	24	3.15	83,840	92,224	1,000
11	30453001028	AsX 185/29-3.5	7	2.30	26	2.98	83,727	92,100	1,000
12	30453001029	AsX 185/43-3.5	7	2.80	30	2.80	91,175	100,292	500
13	30453001030	AsX 240/32-3.5	7	2.40	24	3.60	105,848	116,432	500
14	30453001031	AsX 240/39-3.5	7	2.65	26	3.40	105,880	116,468	500
15	30453001032	AsX 240/56-3.5	7	3.20	30	3.20	115,588	127,147	500
16	30453001033	AsX 300/39-3.5	7	2.65	24	4.00	127,632	140,395	500
17	30453001034	AsX 300/48-3.5	7	2.95	26	3.80	129,575	142,532	500
Cấp AsX dùng cho điện áp đến 35kV									
		Cách điện XLPE dày 4.3mm							
1	30453001035	AsX 35/6.2-4.3	1	2.80	6	2.80	27,252	29,977	2,000
2	30453001036	AsX 50/8.0-4.3	1	3.20	6	3.20	32,473	35,720	2,000
3	30453001037	AsX 70/11-4.3	1	3.80	6	3.80	41,688	45,857	2,000
4	30453001038	AsX 95/16-4.3	1	4.50	6	4.50	53,941	59,335	2,000
5	30453001039	AsX 120/19-4.3	7	1.85	26	2.40	63,022	69,324	2,000
6	30453001040	AsX 120/27-4.3	7	2.20	30	2.20	65,375	71,912	1,000
7	30453001041	AsX 150/19-4.3	7	1.85	24	2.80	73,163	80,479	1,000
8	30453001042	AsX 150/24-4.3	7	2.10	26	2.70	75,910	83,501	1,000
9	30453001043	AsX 150/34-4.3	7	2.50	30	2.50	79,897	87,887	1,000
10	30453001044	AsX 185/24-4.3	7	2.10	24	3.15	89,423	98,365	1,000
11	30453001045	AsX 185/29-4.3	7	2.30	26	2.98	89,291	98,220	1,000
12	30453001046	AsX 185/43-4.3	7	2.80	30	2.80	96,448	106,092	500
13	30453001047	AsX 240/32-4.3	7	2.40	24	3.60	111,879	123,067	500
14	30453001048	AsX 240/39-4.3	7	2.65	26	3.40	111,894	123,083	500
15	30453001049	AsX 240/56-4.3	7	3.20	30	3.20	121,124	133,236	500
16	30453001050	AsX 300/39-4.3	7	2.65	24	4.00	133,735	147,108	500
17	30453001051	AsX 300/48-4.3	7	2.95	26	3.80	135,695	149,265	500
		Cách điện XLPE dày 5.5mm						0	
1	30453001052	AsX 35/6.2-5.5	1	2.80	6	2.80	32,528	35,781	2,000
2	30453001053	AsX 50/8.0-5.5	1	3.20	6	3.20	38,072	41,879	2,000
3	30453001054	AsX 70/11-5.5	1	3.80	6	3.80	47,561	52,317	2,000
4	30453001055	AsX 95/16-5.5	1	4.50	6	4.50	60,782	66,860	2,000
5	30453001056	AsX 120/19-5.5	7	1.85	26	2.40	69,913	76,904	2,000
6	30453001057	AsX 120/27-5.5	7	2.20	30	2.20	72,187	79,406	1,000
7	30453001058	AsX 150/19-5.5	7	1.85	24	2.80	81,009	89,110	1,000
8	30453001059	AsX 150/24-5.5	7	2.10	26	2.70	83,862	92,248	1,000
9	30453001060	AsX 150/34-5.5	7	2.50	30	2.50	87,959	96,755	1,000
10	30453001061	AsX 185/24-5.5	7	2.10	24	3.15	97,175	106,892	1,000
11	30453001062	AsX 185/29-5.5	7	2.30	26	2.98	97,015	106,717	1,000
12	30453001063	AsX 185/43-5.5	7	2.80	30	2.80	105,029	115,532	500
13	30453001064	AsX 240/32-5.5	7	2.40	24	3.60	120,648	132,713	500
14	30453001065	AsX 240/39-5.5	7	2.65	26	3.40	120,636	132,699	500
15	30453001066	AsX 240/56-5.5	7	3.20	30	3.20	130,106	143,116	500
16	30453001067	AsX 300/39-5.5	7	2.65	24	4.00	142,827	157,110	500
17	30453001068	AsX 300/48-5.5	7	2.95	26	3.80	144,813	159,295	500
Cấp AsXV dùng cho điện áp đến 24kV									
		Cách điện XLPE dày 2.5mm							
1	30453001101	AsXV 35/6.2-2.5	1	2.80	6	2.80	26,151	28,766	2,000
2	30453001102	AsXV 50/8.0-2.5	1	3.20	6	3.20	31,227	34,349	2,000
3	30453001103	AsXV 70/11-2.5	1	3.80	6	3.80	40,623	44,685	2,000
4	30453001104	AsXV 95/16-2.5	1	4.50	6	4.50	53,156	58,472	2,000
5	30453001105	AsXV 120/19-2.5	7	1.85	26	2.40	61,612	67,773	2,000
6	30453001106	AsXV 120/27-2.5	7	2.20	30	2.20	64,486	70,934	1,000

BẢNG GIÁ CÁP TRUNG THẾ BÁN PHẦN - TỔNG HỢP

TT	Mã sản phẩm	Tên sản phẩm	Kết cấu ruột dẫn				Đơn giá (Chưa bao gồm VAT)	Đơn giá (Đã bao gồm VAT)	Chiều dài đóng gói
			Phần thép		Phần nhôm				
			Số sợi	ĐK sợi	Số sợi	ĐK...			
			No.	mm	No.	mm			
7	30453001107	AsXV 150/19-2.5	7	1.85	24	2.80	72,710	79,981	1,000
8	30453001108	AsXV 150/24-2.5	7	2.10	26	2.70	75,441	82,985	1,000
9	30453001109	AsXV 150/34-2.5	7	2.50	30	2.50	79,416	87,357	1,000
10	30453001110	AsXV 185/24-2.5	7	2.10	24	3.15	88,890	97,779	1,000
11	30453001111	AsXV 185/29-2.5	7	2.30	26	2.98	88,763	97,639	1,000
12	30453001112	AsXV 185/43-2.5	7	2.80	30	2.80	96,462	106,108	500
13	30453001113	AsXV 240/32-2.5	7	2.40	24	3.60	111,862	123,049	500
14	30453001114	AsXV 240/39-2.5	7	2.65	26	3.40	111,879	123,067	500
15	30453001115	AsXV 240/56-2.5	7	3.20	30	3.20	121,723	133,896	500
16	30453001116	AsXV 300/39-2.5	7	2.65	24	4.00	134,343	147,777	500
17	30453001117	AsXV 300/48-2.5	7	2.95	26	3.80	136,303	149,933	500
		Cách điện XLPE dày 3.5mm						0	
1	30453001118	AsXV 35/6.2-3.5	1	2.80	6	2.80	29,976	32,974	2,000
2	30453001119	AsXV 50/8.0-3.5	1	3.20	6	3.20	36,070	39,677	2,000
3	30453001120	AsXV 70/11-3.5	1	3.80	6	3.80	45,345	49,879	2,000
4	30453001121	AsXV 95/16-3.5	1	4.50	6	4.50	58,791	64,670	2,000
5	30453001122	AsXV 120/19-3.5	7	1.85	26	2.40	68,278	75,106	2,000
6	30453001123	AsXV 120/27-3.5	7	2.20	30	2.20	70,530	77,582	1,000
7	30453001124	AsXV 150/19-3.5	7	1.85	24	2.80	79,247	87,172	1,000
8	30453001125	AsXV 150/24-3.5	7	2.10	26	2.70	82,068	90,275	1,000
9	30453001126	AsXV 150/34-3.5	7	2.50	30	2.50	86,699	95,369	1,000
10	30453001127	AsXV 185/24-3.5	7	2.10	24	3.15	95,831	105,414	1,000
11	30453001128	AsXV 185/29-3.5	7	2.30	26	2.98	95,679	105,247	1,000
12	30453001129	AsXV 185/43-3.5	7	2.80	30	2.80	103,644	114,008	500
13	30453001130	AsXV 240/32-3.5	7	2.40	24	3.60	119,797	131,777	500
14	30453001131	AsXV 240/39-3.5	7	2.65	26	3.40	119,789	131,768	500
15	30453001132	AsXV 240/56-3.5	7	3.20	30	3.20	129,223	142,145	500
16	30453001133	AsXV 300/39-3.5	7	2.65	24	4.00	142,588	156,847	500
17	30453001134	AsXV 300/48-3.5	7	2.95	26	3.80	144,572	159,029	500
Cáp AsXV dùng cho điện áp đến 35kV									
		Cách điện XLPE dày 4.3mm							
1	30453001135	AsXV 35/6.2-4.3	1	2.80	6	2.80	34,185	37,604	2,000
2	30453001136	AsXV 50/8.0-4.3	1	3.20	6	3.20	39,936	43,930	2,000
3	30453001137	AsXV 70/11-4.3	1	3.80	6	3.80	49,874	54,861	2,000
4	30453001138	AsXV 95/16-4.3	1	4.50	6	4.50	63,941	70,335	2,000
5	30453001139	AsXV 120/19-4.3	7	1.85	26	2.40	73,076	80,383	2,000
6	30453001140	AsXV 120/27-4.3	7	2.20	30	2.20	76,066	83,672	1,000
7	30453001141	AsXV 150/19-4.3	7	1.85	24	2.80	84,920	93,412	1,000
8	30453001142	AsXV 150/24-4.3	7	2.10	26	2.70	87,821	96,603	1,000
9	30453001143	AsXV 150/34-4.3	7	2.50	30	2.50	91,966	101,163	1,000
10	30453001144	AsXV 185/24-4.3	7	2.10	24	3.15	102,254	112,479	1,000
11	30453001145	AsXV 185/29-4.3	7	2.30	26	2.98	102,080	112,288	1,000
12	30453001146	AsXV 185/43-4.3	7	2.80	30	2.80	109,939	120,932	500
13	30453001147	AsXV 240/32-4.3	7	2.40	24	3.60	126,532	139,185	500
14	30453001148	AsXV 240/39-4.3	7	2.65	26	3.40	126,504	139,154	500
15	30453001149	AsXV 240/56-4.3	7	3.20	30	3.20	136,121	149,733	500
16	30453001150	AsXV 300/39-4.3	7	2.65	24	4.00	149,084	163,993	500
17	30453001151	AsXV 300/48-4.3	7	2.95	26	3.80	151,087	166,196	500
		Cách điện XLPE dày 5.5mm						0	
1	30453001152	AsXV 35/6.2-5.5	1	2.80	6	2.80	40,506	44,556	2,000
2	30453001153	AsXV 50/8.0-5.5	1	3.20	6	3.20	47,006	51,706	2,000
3	30453001154	AsXV 70/11-5.5	1	3.80	6	3.80	57,674	63,441	2,000
4	30453001155	AsXV 95/16-5.5	1	4.50	6	4.50	71,997	79,197	1,000
5	30453001156	AsXV 120/19-5.5	7	1.85	26	2.40	81,594	89,753	1,000
6	30453001157	AsXV 120/27-5.5	7	2.20	30	2.20	84,642	93,106	1,000
7	30453001158	AsXV 150/19-5.5	7	1.85	24	2.80	93,922	103,315	1,000
8	30453001159	AsXV 150/24-5.5	7	2.10	26	2.70	96,940	106,634	1,000
9	30453001160	AsXV 150/34-5.5	7	2.50	30	2.50	101,201	111,321	1,000

BẢNG GIÁ CẤP TRUNG THỂ BÁN PHẦN - TỔNG HỢP

TT	Mã sản phẩm	Tên sản phẩm	Kết cấu ruột dẫn				Đơn giá (Chưa bao gồm VAT)	Đơn giá (Đã bao gồm VAT)	Chiều dài đóng gói
			Phần thép		Phần nhôm				
			Số sợi	ĐK sợi	Số sợi	ĐK...			
			No.	mm	No.	mm			
10	30453001161	AsXV 185/24-5.5	7	2.10	24	3.15	112,750	124,025	1,000
11	30453001162	AsXV 185/29-5.5	7	2.30	26	2.98	111,865	123,051	1,000
12	30453001163	AsXV 185/43-5.5	7	2.80	30	2.80	119,856	131,841	500
13	30453001164	AsXV 240/32-5.5	7	2.40	24	3.60	136,040	149,644	500
14	30453001165	AsXV 240/39-5.5	7	2.65	26	3.40	135,985	149,584	500
15	30453001166	AsXV 240/56-5.5	7	3.20	30	3.20	146,601	161,261	500
16	30453001167	AsXV 300/39-5.5	7	2.65	24	4.00	161,367	177,504	500
17	30453001168	AsXV 300/48-5.5	7	2.95	26	3.80	163,398	179,738	500
Cấp AsXE dùng cho điện áp đến 24kV									
		Cách điện XLPE dày 2.5mm							
1	30456002101	AsXE/S 35/6.2-2.5	1	2.80	6	2.80	35,030	38,533	2,000
2	30456002102	AsXE/S 50/8.0-2.5	1	3.20	6	3.20	40,943	45,037	2,000
3	30456002103	AsXE/S 70/11-2.5	1	3.80	6	3.80	49,821	54,803	2,000
4	30456002104	AsXE/S 95/16-2.5	1	4.50	6	4.50	63,023	69,326	2,000
5	30456002105	AsXE/S 120/19-2.5	7	1.85	26	2.40	71,390	78,529	2,000
6	30456002106	AsXE/S 120/27-2.5	7	2.20	30	2.20	73,652	81,017	1,000
7	30456002107	AsXE/S 150/19-2.5	7	1.85	24	2.80	82,443	90,687	1,000
8	30456002108	AsXE/S 150/24-2.5	7	2.10	26	2.70	85,243	93,767	1,000
9	30456002109	AsXE/S 150/34-2.5	7	2.50	30	2.50	89,301	98,231	1,000
10	30456002110	AsXE/S 185/24-2.5	7	2.10	24	3.15	99,106	109,017	1,000
11	30456002111	AsXE/S 185/29-2.5	7	2.30	26	2.98	98,871	108,758	1,000
12	30456002112	AsXE/S 185/43-2.5	7	2.80	30	2.80	106,787	117,466	500
13	30456002113	AsXE/S 240/32-2.5	7	2.40	24	3.60	123,308	135,639	500
14	30456002114	AsXE/S 240/39-2.5	7	2.65	26	3.40	123,035	135,339	500
15	30456002115	AsXE/S 240/56-2.5	7	3.20	30	3.20	132,883	146,171	500
16	30456002116	AsXE/S 300/39-2.5	7	2.65	24	4.00	146,258	160,884	500
17	30456002117	AsXE/S 300/48-2.5	7	2.95	26	3.80	148,057	162,863	500
		Cách điện XLPE dày 3.5mm						0	
1	30456002118	AsXE/S 35/6.2-3.5	1	2.80	6	2.80	39,367	43,303	2,000
2	30456002119	AsXE/S 50/8.0-3.5	1	3.20	6	3.20	45,324	49,857	2,000
3	30456002120	AsXE/S 70/11-3.5	1	3.80	6	3.80	54,982	60,480	2,000
4	30456002121	AsXE/S 95/16-3.5	1	4.50	6	4.50	68,480	75,328	2,000
5	30456002122	AsXE/S 120/19-3.5	7	1.85	26	2.40	77,599	85,359	2,000
6	30456002123	AsXE/S 120/27-3.5	7	2.20	30	2.20	80,246	88,271	1,000
7	30456002124	AsXE/S 150/19-3.5	7	1.85	24	2.80	89,549	98,503	1,000
8	30456002125	AsXE/S 150/24-3.5	7	2.10	26	2.70	92,532	101,785	1,000
9	30456002126	AsXE/S 150/34-3.5	7	2.50	30	2.50	96,969	106,666	1,000
10	30456002127	AsXE/S 185/24-3.5	7	2.10	24	3.15	107,045	117,750	1,000
11	30456002128	AsXE/S 185/29-3.5	7	2.30	26	2.98	106,710	117,381	1,000
12	30456002129	AsXE/S 185/43-3.5	7	2.80	30	2.80	115,597	127,157	500
13	30456002130	AsXE/S 240/32-3.5	7	2.40	24	3.60	132,176	145,394	500
14	30456002131	AsXE/S 240/39-3.5	7	2.65	26	3.40	131,875	145,063	500
15	30456002132	AsXE/S 240/56-3.5	7	3.20	30	3.20	142,338	156,572	500
16	30456002133	AsXE/S 300/39-3.5	7	2.65	24	4.00	156,094	171,703	500
17	30456002134	AsXE/S 300/48-3.5	7	2.95	26	3.80	157,980	173,778	500
Cấp AsXE dùng cho điện áp đến 35kV									
		Cách điện XLPE dày 4.3mm							
1	30456002135	AsXE/S 35/6.2-4.3	1	2.80	6	2.80	43,717	48,089	2,000
2	30456002136	AsXE/S 50/8.0-4.3	1	3.20	6	3.20	50,281	55,309	2,000
3	30456002137	AsXE/S 70/11-4.3	1	3.80	6	3.80	59,869	65,855	2,000
4	30456002138	AsXE/S 95/16-4.3	1	4.50	6	4.50	74,257	81,683	2,000
5	30456002139	AsXE/S 120/19-4.3	7	1.85	26	2.40	83,850	92,235	2,000
6	30456002140	AsXE/S 120/27-4.3	7	2.20	30	2.20	86,699	95,369	1,000
7	30456002141	AsXE/S 150/19-4.3	7	1.85	24	2.80	96,085	105,693	1,000
8	30456002142	AsXE/S 150/24-4.3	7	2.10	26	2.70	99,156	109,072	1,000
9	30456002143	AsXE/S 150/34-4.3	7	2.50	30	2.50	103,414	113,756	1,000
10	30456002144	AsXE/S 185/24-4.3	7	2.10	24	3.15	115,449	126,993	1,000
11	30456002145	AsXE/S 185/29-4.3	7	2.30	26	2.98	115,091	126,600	1,000

BẢNG GIÁ CẤP TRUNG THỂ BÀN PHÀN - TỔNG HỢP

TT	Mã sản phẩm	Tên sản phẩm	Kết cấu ruột dẫn				Đơn giá (Chưa bao gồm VAT)	Đơn giá (Đã bao gồm VAT)	Chiều dài đóng gói
			Phần thép		Phần nhôm				
			Số sợi	ĐK sợi	Số sợi	ĐK...			
			No.	mm	No.	mm			
12	30456002146	AsXE/S 185/43-4.3	7	2.80	30	2.80	122,541	134,795	500
13	30456002147	AsXE/S 240/32-4.3	7	2.40	24	3.60	140,187	154,205	500
14	30456002148	AsXE/S 240/39-4.3	7	2.65	26	3.40	139,862	153,848	500
15	30456002149	AsXE/S 240/56-4.3	7	3.20	30	3.20	149,937	164,930	500
16	30456002150	AsXE/S 300/39-4.3	7	2.65	24	4.00	166,122	182,734	500
17	30456002151	AsXE/S 300/48-4.3	7	2.95	26	3.80	167,973	184,770	500
		Cách điện XLPE dày 5.5mm						0	
1	30456002152	AsXE/S 35/6.2-5.5	1	2.80	6	2.80	50,937	56,031	2,000
2	30456002153	AsXE/S 50/8.0-5.5	1	3.20	6	3.20	57,426	63,168	2,000
3	30456002154	AsXE/S 70/11-5.5	1	3.80	6	3.80	68,369	75,206	2,000
4	30456002155	AsXE/S 95/16-5.5	1	4.50	6	4.50	83,876	92,263	2,000
5	30456002156	AsXE/S 120/19-5.5	7	1.85	26	2.40	93,476	102,824	2,000
6	30456002157	AsXE/S 120/27-5.5	7	2.20	30	2.20	97,027	106,730	1,000
7	30456002158	AsXE/S 150/19-5.5	7	1.85	24	2.80	107,617	118,378	1,000
8	30456002159	AsXE/S 150/24-5.5	7	2.10	26	2.70	110,881	121,969	1,000
9	30456002160	AsXE/S 150/34-5.5	7	2.50	30	2.50	115,278	126,806	1,000
10	30456002161	AsXE/S 185/24-5.5	7	2.10	24	3.15	127,085	139,794	1,000
11	30456002162	AsXE/S 185/29-5.5	7	2.30	26	2.98	126,693	139,362	1,000
12	30456002163	AsXE/S 185/43-5.5	7	2.80	30	2.80	134,047	147,452	500
13	30456002164	AsXE/S 240/32-5.5	7	2.40	24	3.60	153,861	169,247	500
14	30456002165	AsXE/S 240/39-5.5	7	2.65	26	3.40	153,501	168,851	500
15	30456002166	AsXE/S 240/56-5.5	7	3.20	30	3.20	163,825	180,208	500
16	30456002167	AsXE/S 300/39-5.5	7	2.65	24	4.00	179,277	197,205	500
17	30456002168	AsXE/S 300/48-5.5	7	2.95	26	3.80	181,133	199,246	500